New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of June 30, 2004 Jersey City Residents

1.	Current HIV/AIDS Category	Adult/Adolescent * Cases %		Pediat Cases	용		Tota Cases	%
	AIDS-Any OI AIDS-CD4 Only HIV Only	572 22 943 36 1128 43		9 0 26	74		581	22 35 43
	Total	2643 100		35			2678	
2.	Current Age * Cases %	3. Race/Eth.			8	Pediatric Cases %		%
	<pre><5 # # 5-12 # # 13-19 34 1 20-29 149 6 30-39 672 25</pre>	White, Not Hisp Black, Not Hisp Hispanic Other/Unknown	oanic oanic	408 1380	15 52 30 3	5 14	413 1400 795 70	15 52 30 3
	40-49 1178 44 50+ 610 23 Unk. 0 0	Total		2643	100	35 100	2678	100
4.	Total 2678 100 Patient Group	Ao Males				smission	Modes ** Tota	al %
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***	174 340	38 28 4 10 20		348 277	0 28 0 40 32	74 6 52 63	65 25 41 28 64 2 22 20 17 24
	Total	1735			874	100	260	
		Males	%		Female		des Tota	
	Parent at risk/has AIDS/HIV Risk not reported/other***		97 #		33 #	97		 67 97 # #
	m - h - 1		1.00			100		

NOTE: Includes only those persons known to be infected with HIV.

Total

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification based on current age at the end of June 2004.
- ** 34 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

35 100

34 100

69

100

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Jersey City Residents

				Adult/Adoi	Lescent*		Pedi	atric*			Tot	tal
1.	Disease Ca	ategory	Ca	ses (%)	Deaths (%)	Cases	(응)	Death	.s (%)	Cases	(응)	Deaths (%)
	PCP Other OI w KS Alone No Disease			1305 (30) 1348 (31) 69 (2) 1654 (38)	1073 (82) 1038 (77) 54 (78) 711 (43)	72 0	(23) (77) (0) (0)	53 0	(77) (74) (.)	1327 (1420 (69 (1654 (32)	1090 (82) 1091 (77) 54 (78) 711 (43)
	Total			4376 (100)	2876 (66)	94	(100)	70	(74)	4470 (1	.00)	2946 (66)
2.	Age *	Cases	olo	3. Race,	Eth.	Adult/Adi		Pediatr Cases	ic*	Total Cases	용	
	Under 5 5-12 13-19 20-29 30-39 40-49 Over 49 Unknown	73 21 29 688 2065 1228 366 0	2 0 1 15 46 27 8	Black Hispa Othe:			53 24 1	14 44 35 # 	47	948 2376 1098 48 4470	21 53 25 1	
	Total	4470	100									

4.	Patient	Group
----	---------	-------

Patient Group	Adult/Adolescent Transmission Modes **									
	Males	용	Females	용	Total	용				
Men sex with men (MSM)	919	30	0	0	919	21				
Injection drug user (IDU)	1495	48	574	45	2069	47				
MSM/IDU	130	4	0	0	130	3				
Heterosexual contact	194	6	466	37	660	15				
Risk not reported/other***	361	12	230	18	591	14				
Total	3099	100	1270	100	4369	100				

	Males	Pediatric %	Transmi: Females	ssion Modes	Total	ક
Parent at risk/has AIDS/HIV Risk not reported/other***	58 #	98 #	42 0	100	100	99 1
Total	59	100	42	100	101	100

[#] indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies. Classification at time of AIDS diagnosis.

^{** 7} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Jersey City Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	70	69	99%
1985	107	104	97%
1986	168	153	91%
1987	216	203	94%
1988	200	191	96%
1989	278	252	91%
1990	251	218	87%
1991	274	233	85%
1992	338	272	80%
1993	481	351	73%
1994	401	274	68%
1995	360	200	56%
1996	314	146	46%
1997	236	87	37%
1998	132	46	35%
1999	146	53	36%
2000	137	32	23%
2001	150	35	23%
2002	96	23	24%
2003	90	#	#
2004	25	#	#
Total	4470	2946	66%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004 Jersey City Residents

1. Age *	Cases	୧	2. Race/Ethnicity	Adult/A Cases	Adl* %	Pediat Cases	ric*	Total Cases	엉
Under 5	33	2	White, Not Hispanic	#	#	#	#	164	12
5-12	8	1	Black, Not Hispanic	712	55	27	66	739	56
13-19	36	3	Hispanic	369	29	10	24	379	29
20-29	311	23	Other/Unknown	#	#	#	#	44	3
30-39	541	41							
40-49	293	22	Total	1285	100	41	100	1326	100
Over 49	104	8							
Unknown	0	0							
Total	1326	100							

Patient Group	Adult/Adolescent Transmission Modes **										
-	Males	%	Females	용	Total	용					
Men sex with men (MSM)	298	37	0	0	298	23					
Injection drug user (IDU)	210	26	122	26	332	26					
MSM/IDU	32	4	0	0	32	2					
Heterosexual contact	84	10	181	38	265	21					
Risk not reported/other***	183	23	175	37	358	28					
Total	807	100	478	100	1285	100					
		Pedia [.]	tric Transmis	ssion Mod	les						
	Males	%	Females	90	Total	용					
Parent at risk/has AIDS/HIV	18	95	20	91	38	93					
Risk not reported/other***	#	#	#	#	#	#					
Total	19	100	22	100	41	100					

- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 Jersey City Residents

1.	Current HI					s	escent *		Ped Case	es	용		Cas		%	
	AIDS-Any C AIDS-CD4 C HIV Only)I)nly			272 164 128	0 9 5	29		9)6 5 11	68 4 29		28 16 13	16 54	49 29 23	
	Total				565		100			12				96	100	
2.	Age *			3.				Са	lult/A	용	Ca	ediat ses	용		Cases	otal %
	Under 5 5-12 13-19 20-29 30-39	109 33 71 1198 2595	2 1 1 21		Black, Hispan	Not Not ic Unkn	Hispanic Hispanic		1094 3040 1430 90	19 54 25 2		75	13 53 33 #		1112 3115 1477 92	19 54 25 2
	40-49 Over 49 Unknown	1362 428 0	23 7 0		Total										5796	
	Total	5796	100													
4.	Patient Gr	roup					Ad Males				Trans			es ** Total	L %	
	Men sex wi Injection MSM/IDU Heterosexu Risk not r	drug user	SM) (IDU) t ther***				1217 1705 162 278	 31 44 4 7 14		-	0 696 0	0 40 0 37 23		121 240 162 923	7 22 1 42 2 3 5 16 9 17	
	Total						3906			_	1748			565		
							Males	용		F	ransmi emales	용		Tota:		
	Parent at Risk not r	risk/has a	AIDS/HI ther***				76					97 #		138	3 97 # #	

78 100 64 100 142 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification at time of first HIV+/AIDS diagnosis.

Total

- ** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 Jersey City Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate		
Before 1985	76	71	93%		
1985	137	128	93%		
1986	222	193	87%		
1987	273	241	88%		
1988	279	238	85%		
1989	420	346	82%		
1990	407	313	77%		
1991	413	295	71%		
1992	550	336	61%		
1993	489	259	53%		
1994	450	203	45%		
1995	379	142	37%		
1996	311	100	32%		
1997	249	63	25%		
1998	216	50	23%		
1999	201	57	28%		
2000	244	34	14%		
2001	172	25	15%		
2002	161	20	12%		
2003	122	#	#		
2004	25	#	#		
Total	5796	3118	 54%		